Columns



Stepped tubular galvanised steel columns

Stepped tubular galvanised steel columns supplied with wooden baseboard for mounting cable connection accessories.

- Stepped tubular galvanised steel columns, to BS EN 40-2:2004
- Mounting accessories are hot dip galvanised to BS EN ISO 1461:2009
- Supplied with wooden baseboard for mounting cable connection accessories
- Accessories are easily fixed with stainless steel grub screws and have an internal stop to ensure cable exit

Notes: Columns are delivered to site at a pre-arranged time. An off-loading service is not included and it is the responsibility of the client (or client's agent) for the safe undertaking of this requirement. A fork lift truck is recommended to minimise manual handling.



Specification


Mounting	Column	Nominal size	4 m
			5 m
			6 m
			8 m

10 m 12 m

Columns



Dimensions



	Α	В	C	D	E	F	G					
CAT. No.	NOMINAL HEIGHT	TOP DIAMETER	SHAFT DIAMETER	BASE DIAMETER	BASE HEIGHT	PLANTING DEPTH	DOOR HEIGHT	DOOR SIZE	BASEBOARD SIZE	APPROX. KG		
Single and twin luminaire columns												
FC4	4 m	76	76	140	925	800	300	100 x 500	89 x 500	33		
FC5	5 m	76	76	140	925	800	300	100 x 500	89 x 500	40		
FC6	6 m	76	76	140	925	1000	300	100 x 500	89 x 500	44		
FC8	8 m	101	114	168	1200	1200	400	115 x 600	89 x 600	100		
FC10	10 m	101	114	168	1300	1500	500	115 x 600	89 x 600	142		
FC12	12 m	101	140	192	1800	1700	1000	115 x 600	89 x 600	226		
Triple and quad luminaire columns												
FC4/89	4 m	89	89	168	1280	800	300	115 x 600	89 x 500	60		
FC5/89	5 m	89	89	168	1280	800	300	115 x 600	89 x 500	64		
FC6/89	6 m	89	89	168	1280	800	300	115 x 600	89 x 500	68		
FC8/89	8 m	89	114	168	1280	800	300	115 x 600	89 x 600	100		
FC10/89	10 m	89	114	168	1280	1000	300	115 x 600	89 x 600	142		



Columns





Click or scan here

View Columns variants using our online filtering tool



Information is correct as of 20 Jan 2025, however must not be interpreted as a guarantee of individual product performance and/or characteristics. We reserve the right to alter specifications and designs without prior notice.